

Contents

- [1 IR.PlaySound](#)
- [2 IR.StopSound](#)
- [3 IR.StopSlot](#)
- [4 IR.StopAllSounds](#)
- [5 DOWNLOAD: Example of a project](#)

[DOWNLOAD: Example of a project](#)

IR.PlaySound

This function is used for playing sound files.

Syntax: IR.PlaySound('File_Name',Slot_Number,Volume);

- **File_Name** - the name of the sound file
- **Slot_Number** - the number of the slot
- **Volume** - the volume level

```
IR.AddListener(IR.EVENT_START,0,function()
// Event is activated at the application launch
{
    IR.PlaySound('ANGELS_F.WAV',0,50); // Command for playing the sound file
});
```

IR.StopSound

This function is used to stop playing sound files.

Syntax: IR.StopSound('File_Name');

- **File_Name** - the name of the sound file

```
IR.AddListener(IR.EVENT_START,0,function()
// Event is activated at the application launch
{
    IR.StopSound('ANGELS_F.WAV'); // Command for stopping the sound file
});
```

IR.StopSlot

This function is used to stop playing the slot.

Syntax: IR.StopSlot('Slot_Number');

- **Slot_Number** - the number of the slot

```
IR.AddListener(IR.EVENT_START,0,function()
// Event is activated at the application launch
{
    IR.StopSlot(1) //Command for stopping the slot 1
});
```

IR.StopAllSounds

This function is used to stop playing all sound files.

Syntax: IR.StopAllSounds();

```
IR.AddListener(IR.EVENT_START,0,function()
//Event is activated at the project launch
{
    IR.StopAllSounds(); //Command for stopping all sound files
});
```

[**DOWNLOAD: Example of a project**](#)